

Nationwide Permit 401 and CZC Specific Conditions Certified April 23, 2012

Nationwide Permit Number 12:Utility Line Activities

Conditions of the 401 Water Quality Certification:

1. If the project involves more than 10 aquatic site crossings (not including directionally bored crossings), the project will not be certified under this NWP and will require separate approval through SCDHEC's individual certification process.
2. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Regional Conditions of the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following condition, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.
2. Impacts to aquatic sites associated with the construction of temporary, permanent and maintenance easements must be limited to a total width of 50' (including filling, excavation and clearing) except where required for safety reasons.
3. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.

Nationwide Permit Number 14:Linear Transportation Projects

Conditions of the 401 Water Quality Certification:

1. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.
2. Linear transportation projects must cross perpendicular (to the extent practicable) to the aquatic site area. Impacts certified under this NWP must be limited to three crossings per single and complete project and must be in non-tidal wetlands only.
3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
4. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Regional Conditions for the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following conditions, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.

2. For all projects, the applicant must provide a Wetland Master Plan consistent with the policies and procedures of Chapter III Policy Section XII E. of the S.C. Coastal Zone Management Program. **WMP policies also include the preservation of all wetlands not proposed to be impacted through approved restrictive covenants.** The plan must include an identification of all wetlands, all wetland impacts/activities, drainage patterns, conceptual development, and a mitigation plan.
3. A one-day newspaper notice in accordance with the provisions of the S.C. Coastal Zone Management Program, Chapter V C. 1. A., Notice of Certification must be included.

Nationwide Permit Number 23: Approved Categorical Exclusions

Conditions for the 401 Water Quality Certification:

1. This NWP is not certified for activities if the discharge will cause the loss of greater than 0.25 acres of Waters of the United States or more than 300 linear feet of stream impacts.
2. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Regional Conditions of the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following condition, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.
2. A compensatory mitigation plan must be submitted and approved by the SCDHEC OCRM for projects with impacts exceeding 0.10 acre.

Nationwide Permit Number 29: Residential Developments

Conditions for the 401 Water Quality Certification:

1. The impounding of water and creating of lakes or ponds is not authorized by this NWP
2. The placement of fill in Waters of the United States for a single residence must be limited to 0.10 acres or 60 linear feet.
3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
4. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).
5. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.

Regional Conditions for the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following conditions, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of this NWP for individual lots that are not part of a larger common plan is limited to adjacent wetlands lacking a surface connection to other waters of the US (i.e. isolated wetlands)

- less than 1 acre in size).
2. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.
 3. For all projects, the applicant must provide a Wetland Master Plan consistent with the policies and procedures of Chapter III Policy Section XII E. of the S.C. Coastal Zone Management Program. **WMP policies also include the preservation of all wetlands not proposed to be impacted through approved restrictive covenants.** The plan must include an identification of all wetlands, all wetland impacts/activities, drainage patterns, conceptual development, and a mitigation plan.
 4. A one-day newspaper notice in accordance with the provisions of the S.C. Coastal Zone Management Program, Chapter V C. 1. A., Notice of Certification must be included.

Nationwide Permit Number 39: Commercial and Institutional Developments

Conditions for the 401 Water Quality Certification:

1. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.
2. Stream channelization or use of the permit in perennial streams is not certified under this NWP and will require separate approval through SCDHEC's individual certification process.
3. Sedimentation/sediment ponds in special aquatic sites, including wetlands, are not certified under this NWP.
4. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
5. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Regional Conditions of the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following conditions, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.
2. For all projects, the applicant must provide a Wetland Master Plan consistent with the policies and procedures of Chapter III Policy Section XII E. of the S.C. Coastal Zone Management Program. **WMP policies also include the preservation of all wetlands not proposed to be impacted through approved restrictive covenants.** The plan must include an identification of all wetlands, all wetland impacts/activities, drainage patterns, conceptual development, and a mitigation plan.
3. A one-day newspaper notice in accordance with the provisions of the S.C. Coastal Zone Management Program, Chapter V C. 1. A., Notice of Certification must be included.

Nationwide Permit Number 42: Recreational Facilities

Conditions for the 401 Water Quality Certification:

1. This NWP is not certified for discharges causing the loss of greater than 0.25 acres of Waters of the United States.
2. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.

3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Regional Conditions of the Coastal Zone Consistency Certification:

Provided all the conditions of the 401 Water Quality Certification, plus the following conditions, are included as Regional Conditions, the NWP will be consistent with the S.C. Coastal Zone Management Program.

1. The use of multiple NWPs on one tract or land parcel is not approved in the coastal zone without SCDHEC OCRM concurrence.
2. The use of this NWP must be limited to nature trails/horse trails, bike paths, small bridges or walkways. These activities must be a maximum of 8' wide and involve hand clearing only (Golf courses, ski areas, buildings and campgrounds are not approved).
3. For all projects, the applicant must provide a Wetland Master Plan consistent with the policies and procedures of Chapter III Policy Section XII E. of the S.C. Coastal Zone Management Program. **WMP policies also include the preservation of all wetlands not proposed to be impacted through approved restrictive covenants.** The plan must include an identification of all wetlands, all wetland impacts/activities, drainage patterns, conceptual development, and a mitigation plan.
4. A compensatory mitigation plan must be submitted and approved by the SCDHEC OCRM for projects with impacts exceeding 0.10 acre.
5. A one-day newspaper notice in accordance with the provisions of the S.C. Coastal Zone Management Program, Chapter V C. 1. A., Notice of Certification must be included.

Nationwide Permit Number 43: Stormwater Management Facilities

Proposed Conditions for the 401 Water Quality Certification:

1. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.
2. Activities authorized by this certification are limited to maintenance of existing facilities, such as stormwater ponds, detention and retention basins, water control structures, outfall structures, emergency spillways, and existing ponds that are proposed for use as water quantity or volume control. This NWP cannot be used for existing ponds that are proposed to be converted into water quality treatment facilities such as sediment basins, sediment traps, or other similar structures.
3. Impacts for the repair, maintenance, or conversion of existing ponds for use as quantity or volume control can be permitted under this NWP.
4. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
5. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Nationwide Permit Number 44: Mining Activities

Proposed Conditions for the 401 Water Quality Certification:

1. A compensatory mitigation plan must be submitted and approved by the SCDHEC for projects with impacts exceeding 0.10 acres or 300 linear feet.
2. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.

3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).

Nationwide Permit Number 46: Discharges in Ditches

Proposed Conditions for the 401 Water Quality Certification:

1. This NWP is not certified for discharges causing the loss of greater than a half acres of waters of the United States.
2. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) waters defined (as per Regulation 61-68) as Outstanding National Resource Waters (ONRW), Outstanding Resource Waters (ORW), or Trout Waters.
3. This NWP is not certified for activities located in or adjacent to (as determined by SCDHEC) impaired waters (as defined by 303(d) of the Clean Water Act).