

**ENVIRONMENTAL AFFAIRS ENFORCEMENT REPORT
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL
October 13, 2016**

BUREAU OF LAND AND WASTE MANAGEMENT

Infectious Waste Enforcement

- 1) Order Type and Number: Consent Order 16-05-IW
 Order Date: August 29, 2016
 Individual/Entity: **Charleston Women’s Medical
Center**
 Facility: Charleston Women’s Medical Center
 Location/Mailing Address: 1312 Ashley River Road, Charleston,
 South Carolina, 29407-5365
 County: Charleston, South Carolina
 *Previous Orders: 15-05-IW (\$1,800.00)
 Permit/ID Number: SC10-0168G
 Violations Cited: The South Carolina Infectious Waste
Management Act §44-93-30 (2002); and the South Carolina Infectious Waste
Management Regulation, 8 S.C. Code Ann. Regs. 61-105 (2012).

Summary: Charleston Women’s Medical Center (Individual/Entity) is a large quantity generator of infectious waste, located in Charleston, South Carolina. On April 19, 2016, the Department received manifests dated March 4, 2015 through March 23, 2016, in order to renew its registration. On May 6, 2016, the Department conducted an inspection. The Individual/Entity has violated the Infectious Waste Management Regulations as follows: failed to incinerate, cremate, inter, or donate for medical research, products of conception.

Action: The Individual/Entity is required to: manage infectious waste containing “products of conception” in accordance with R.61-105 Subpart T – Infectious Waste Treatment; and, pay a civil penalty in the amount of two thousand, four hundred eighty dollars **(\$2,480.00)**. The civil penalty has been paid and the Individual/Entity has returned to compliance.

Radiological Waste Enforcement

- 2) Order Type and Number: Consent Order 16-01-RW
 Order Date: August 29, 2016
 Individual/Entity: **EnergySolutions, LLC**
 Facility: Chem-Nuclear Systems, LLC
 Calibration Laboratory
 Location: 740 Osborn Road

Mailing Address: Barnwell, SC
740 Osborn Road
Barnwell, SC 29593

County: Barnwell

Previous Orders: None

Permit/ID Number: SCRML 287-01

Violations Cited: South Carolina Radioactive Material
License 287-01

Summary: EnergySolutions, LLC (Individual/Entity) owns Chem-Nuclear Systems, LLC Calibration Laboratory located in Barnwell, South Carolina. On April 26, 2016, the Department performed an unannounced inspection regarding licensed activities associated with South Carolina Radioactive Material License 287-01(SCMRL 287-01). The Individual/Entity has violated SCMRL 287-01 as follows: failed to maintain current training qualifications and failed to re-qualify authorized users every three years.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of six thousand dollars (**\$6,000.00**).

Solid Waste Enforcement

3) Order Type and Number: Consent Order 16-14-SW

Order Date: August 1, 2016

Individual/Entity: **Eva Garvin and David Dunbar**

Facility: Bruce Road (TMS #032-00-00-226.000)

Location: Bruce Road
Dorchester, SC

Mailing Address: P.O. Box 535
St. George, SC 29477

County: Dorchester

Previous Orders: None

Permit/ID Number: N/A

Violations Cited: The South Carolina Solid Waste Policy and Management Act of 1991, S.C. Code Ann. 44-96-10 et seq. (2002 & Supp. 2014), 8 S.C. Code Ann. Regs., R. 61-107.3 (2015) (Waste Tires).

Summary: Eva Garvin and David Dunbar (Individuals/Entities) own the property located on Bruce Road in Dorchester, South Carolina. An inspection was conducted on March 24, 2016, in response to a complaint of unauthorized disposal of waste tires. The Individuals/Entities have violated the South Carolina Solid Waste Policy and Management Act of 1991 and the South Carolina Solid Waste Management: Waste Tire Regulation as follows: operated a solid waste management facility by collecting and disposing of waste tires and operated a waste tire processing facility by cutting the sidewalls out of the waste tires without first

obtaining permits from the Department.

Action: The Individuals/Entities are required to: remove and dispose of the waste tires in a permitted solid waste collection or recycling facility; submit disposal receipts; and, pay a **suspended penalty** in the amount of four thousand, seven hundred fifty dollars (**\$4,750.00**) should any requirement of the Order not be met.

- 4) Order Type and Number: Consent Order 16-11-SW
Order Date: August 8, 2016
Individual/Entity: **Jeff Hawkins**
Facility: Hawkins Land Clearing Debris & Yard
Trash Landfill
Location: 1000 Pearson Town Road
Moore, SC 29369
Mailing Address: 112 Chase Court
Moore, SC 29369
County: Spartanburg
Previous Orders: None
Permit/ID Number: 422473-1702
Violations Cited: The South Carolina Solid Waste
Policy and Management Act of 1991 §44-96-10 (Act) (2002 and Supp. 2014);
the Solid Waste Management: Solid Waste Landfills and Structural Fill,
Regulation 61-107.19.Part I (A)(9)(b), Part I(E)(1)(b), Part III(A)(3); and, the
General Permit, Section II.M.

Summary: Jeff Hawkins (Individual/Entity) is responsible for the proper operation and maintenance of Hawkins Land Clearing Debris & Yard Trash Landfill (Landfill), located in Moore, South Carolina. On May 5, 2014, and September 2, 2015, the Department sent letters requesting that at a minimum, financial assurance be provided to cover the closure-cost of the Landfill. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act, Solid Waste Management: Solid Waste Landfill and Structural Fill Regulations, and the General Permit as follows: failed to provide the Department an approved financial assurance mechanism.

Action: The Individual/Entity is required to: cease accepting all land clearing debris; complete closure activities at the Landfill per the General Permit; and, pay a **stipulated penalty** in the amount of three thousand, three hundred dollars (**\$3,300.00**) should any requirement of the Order not be met.

- 5) Order Type and Number: Consent Order 16-12-SW
Order Date: August 29, 2016
Individual/Entity: **William Howard**
Facility: Howard Grading & Construction
Landfill

Location: 1150 Gowan Road
Inman, SC 29349
Mailing Address: 257 Burnett Road
Inman, SC 29349
County: Spartanburg
Previous Orders: None
Permit/ID Number: 422712-1701
Violations Cited: The South Carolina Solid Waste Policy and Management Act of 1991 §44-96-10 (Act) (2002 and Supp. 2014); the Solid Waste Management: Solid Waste Landfills and Structural Fill, Regulation 61-107.19.Part I (A)(9)(b), Part I(E)(1)(b), Part III(A)(3); and, the General Permit, Section II.M.

Summary: William Howard (Individual/Entity) is responsible for the proper operation and maintenance of Howard Grading & Construction Landfill (Landfill), located in Inman, South Carolina. On September 2, 2015, the Department sent a letter notifying the Individual/Entity to submit and maintain adequate financial assurance to the Department to cover closure-costs of the Landfill. The Individual/Entity has violated the South Carolina Solid Waste Policy and Management Act, Solid Waste Management: Solid Waste Landfill and Structural Fill Regulations, and the General Permit as follows: failed to provide the Department an approved financial assurance mechanism.

Action: The Individual/Entity is required to: cease accepting all land clearing debris; complete closure activities at the Landfill per the General Permit; and, pay a **stipulated penalty** in the amount of three thousand three hundred dollars (**\$3,300.00**) should any requirement of the Order not be met.

RECREATIONAL WATERS ENFORCEMENT

6) Order Type and Number: Consent Order 16-041-RW
Order Date: August 3, 2016
Individual/Entity: **Gatewood Property Owners Association**
Facility: Gatewood Country Club
Location: 114 Club Drive
Greenwood, SC 29646
Mailing Address: Same
County: Greenwood
Previous Orders: None
Permit/ID Number: 24-017-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Gatewood Property Owners Association (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 23,

2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline did not have the minimum number of floats and the floats were not properly spaced; a ladder was not tight and secure and was missing a bumper; the skimmer lids were missing or cracked and there was debris in the skimmer baskets; the gate did not self-close and latch; there was no foot rinse shower; the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring rope was deteriorated; there was no shepherd's crook; there was no emergency notification device; the pool rules sign was not legible; there were no "Shallow Water – No Diving Allowed" signs posted; there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted; the bound and numbered log book was not maintained on a daily basis and was not properly bound or numbered; and, the automatic controller alarm was on.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

7) <u>Order Type and Number:</u>	Consent Order 16-042-RW
<u>Order Date:</u>	August 3, 2016
<u>Individual/Entity:</u>	Umiya Hotel Group, LLC
<u>Facility:</u>	Holiday Inn
<u>Location:</u>	3509 Clemson Avenue Anderson, SC 29621
<u>Mailing Address:</u>	Same
<u>County:</u>	Anderson
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	04-069-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Umiya Hotel Group, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; there was no foot rinse shower; the life ring did not have a permanently attached rope; the pool rules sign did not have all of the required rules; only one "Shallow Water – No Diving Allowed" sign was posted and the sign posted did not have the correct sized lettering; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted and the sign posted did not have the correct sized lettering; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty

in the amount of three hundred forty dollars **(\$340.00)**. The civil penalty has been paid.

- 8) Order Type and Number: Consent Order 16-043-RW
 Order Date: August 3, 2016
 Individual/Entity: **Fairways Development, LLC**
 Facility: Plantation Club at Longcreek
 Location: 730 Longtown Road West
 Blythewood, SC 29016

 Mailing Address: Same
 County: Richland
 Previous Orders: 13-164-DW (\$1,600.00)
 Permit/ID Number: 40-290-1
 Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Fairways Development, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 14, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the water level was too high; the gate did not self-close and latch; the foot rinse shower was not operating properly; there were items stored in the equipment room that were not pool related; the flow meter was not operating; the chlorine level was not within the acceptable range of water quality standards; the emergency notification device was not operational; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; and, the bound and numbered log book was not maintained on a daily basis and was not maintained a minimum of three times per week by the pool operator of record.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

- 9) Order Type and Number: Consent Order 16-044-RW
 Order Date: August 3, 2016
 Individual/Entity: **Debordieu North Beach Villas Co-Owners Association, Inc.**

 Facility: North Beach Villas
 Location: 106 Summer Haven Court
 Georgetown, SC 29440

 Mailing Address: Same
 County: Georgetown
 Previous Orders: None
 Permit/ID Number: 22-058-1
 Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Debordieu North Beach Villas Co-Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 1, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 17, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gates did not self-close and latch; the pool deck was deteriorated; the life ring rope was deteriorated and not the approved length; the emergency notification device was not operational; the pool rules sign was not completely filled out; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for review; the chlorine level was not within the acceptable range of water quality standards; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand, twenty dollars (**\$1,020.00**). The civil penalty has been paid. On July 18, 2016, a follow-up inspection was conducted and it was determined that all of the deficiencies had been corrected.

10) <u>Order Type and Number:</u>	Consent Order 16-045-RW
<u>Order Date:</u>	August 3, 2016
<u>Individual/Entity:</u>	Ashford Cove, LLC
<u>Facility:</u>	Ashford Cove Apartments
<u>Location:</u>	201 Miracle Mile Drive Anderson, SC 29621
<u>Mailing Address:</u>	400 Galleria Parkway, Suite 400 Atlanta, GA 30339
<u>County:</u>	Anderson
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	04-027-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Ashford Cove, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 2, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; a ladder was not tight and secure; depth marker tiles were broken; skimmer lids were missing or broken; the gate did not self-close and latch; a section of the perimeter fencing was broken; the pH level was not within the acceptable range of water quality standards; the shepherd's crook was missing a bolt; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not available for review.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**).

11) Order Type and Number: Consent Order 16-046-RW
Order Date: August 3, 2016
Individual/Entity: **Ashford Pointe, LLC**
Facility: Ashford Pointe Apartments
Location: 200 Country Club Lane
Anderson, SC 29625
Mailing Address: 400 Galleria Parkway, Suite 400
Atlanta, GA 30339
County: Anderson
Previous Orders: None
Permit/ID Number: 04-031-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ashford Pointe, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 2, 2016, and July 13, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; a ladder was missing a bumper; a depth marker tile was broken; there was debris in the skimmer baskets; the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; there was no life ring; there was no shepherd's crook; the emergency notification device was not operating; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not available for review.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

12) Order Type and Number: Consent Order 16-047-RW
Order Date: August 3, 2016
Individual/Entity: **Snee Farm Lakes Homeowner's Association, Inc.**
Facility: Snee Farm Lakes
Location: 1340 Ben Sawyer Boulevard
Mt. Pleasant, SC 29464
Mailing Address: Same
County: Charleston
Previous Orders: None

Permit/ID Number: 10-224-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Snee Farm Lakes Homeowner's Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 23, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on July 1, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain, and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was no drinking water fountain; the emergency notification device was not operational; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, twenty dollars **(\$1,020.00)**. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

13) Order Type and Number: Consent Order 16-048-RW
Order Date: August 8, 2016
Individual/Entity: **Carriage Lane Horizontal Property Regime, Inc.**
Facility: Carriage Lane Townhouses
Location: 100 Carriage Lane
Columbia, SC 29210
Mailing Address: Same
County: Lexington
Previous Orders: None
Permit/ID Number: 32-071-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Carriage Lane Horizontal Property Regime, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 27, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the pool wall was dirty; the deck was chipped; skimmers were missing weirs; a light in the pool wall was out of its niche; the pH level was not within the acceptable range of water quality standards; the emergency notification device was not operational; the facility address was not posted at the emergency notification device; one of the "Shallow Water - No Diving Allowed" signs was obstructed and did not have the correct sized lettering; and, the current pool operator of record information was not posted to the public.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**). The civil penalty has been paid. On June 27, 2016, a follow-up inspection was conducted and it was determined that all of the deficiencies had been corrected.

14) Order Type and Number: Consent Order 16-049-RW
Order Date: August 9, 2016
Individual/Entity: **GWD Hospitality Group, LLC**
Facility: Fairfield Inn & Suites
Location: 109 Destination Boulevard
Anderson, SC 29621
Mailing Address: Same
County: Anderson
Previous Orders: None
Permit/ID Number: 24-1003B & 24-1004D
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: GWD Hospitality Group, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and spa. On May 25, 2016, and June 20, 2016, the pool and spa were inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder and handrails were not tight and secure; the bathroom did not have a toilet or sink; there was no drinking water fountain; a main drain grate was cracked; the log book was not properly bound and was not maintained on a daily basis; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the spa temperature was not monitored; the gate did not self-close and latch; and, the life ring did not have a permanently attached rope.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, three hundred sixty dollars (**\$1,360.00**). The civil penalty has been paid.

15) Order Type and Number: Consent Order 16-050-RW
Order Date: August 8, 2016
Individual/Entity: **Twin Lakes Country Club**
Facility: Twin Lakes Country Club
Location: 141 W Country Club Road
Dillon, SC 29536
Mailing Address: Same
County: Dillon
Previous Orders: None

Permit/ID Number: 17-014-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Twin Lakes Country Club (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 6, 2016, and July 1, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats did not have the minimum number of floats required; the deck was not clean or clear of hazards; there was debris in the skimmer baskets; there was no drinking water fountain; the chlorine and pH levels were not within the acceptable range of water quality standards; and, the pool rules sign was not legible.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

16) Order Type and Number: Consent Order 16-051-RW
Order Date: August 10, 2016
Individual/Entity: **Grand Harbor Club, LLC**
Facility: Patriots Plantation
Location: 100 Regimental Court
Ninety Six, SC 29666
Mailing Address: 200 Grand Harbor Boulevard
Ninety Six, SC 29666
County: Greenwood
Previous Orders: None
Permit/ID Number: 24-1007B
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Grand Harbor Club, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 10, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain, and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; a ladder was missing the bumpers; the pool floor and walls were not clean; there was debris in the skimmer baskets; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the emergency notification device was not operational; the pool rules sign was not completely filled out; the bound and numbered log book was not available for review; the pump room was not accessible; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, twenty dollars **(\$1,020.00)**. The civil penalty has been paid.

17) Order Type and Number: Consent Order 16-052-RW
Order Date: August 11, 2016
Individual/Entity: **Atherton Place Homeowners Association, Inc.**
Facility: Atherton Place
Location: 642 Atherton Way
Rock Hill, SC 29730
Mailing Address: 527 North Avenue
Rock Hill, SC 29732
County: York
Previous Orders: None
Permit/ID Number: 46-1003B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Atherton Place Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 10, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the flow meter was not operating properly; the pH level was not within the acceptable range of water quality standards; the shepherd's crook was missing a bolt; the emergency notification device was not operating properly; the facility address was not posted at the emergency notification device; and, the log book was not properly bound or numbered.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**.

18) Order Type and Number: Consent Order 16-053-RW
Order Date: August 11, 2016
Individual/Entity: **Tilbros, Inc.**
Facility: Sleep Inn
Location: 834 Windslow Avenue
Gaffney, SC 29341
Mailing Address: Same
County: Cherokee
Previous Orders: 13-159-DW (\$680.00)
Permit/ID Number: 11-023-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Tilbros, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 16, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; there was no drinking water fountain; the chlorine and pH levels were not within the acceptable range of water quality standards; the life ring was deteriorated; the pool rules sign was not legible; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

19) Order Type and Number: Consent Order 16-054-RW
Order Date: August 11, 2016
Individual/Entity: **KNC Hospitality Management, LLC**
Facility: Quality Inn and Suites
Location: 1314 South Pleasantburg Drive
Greenville, SC 29607
Mailing Address: Same
County: Greenville
Previous Orders: 15-142-RW (\$680.00)
Permit/ID Number: 23-058-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: KNC Hospitality Management, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 27, 2016, and June 20, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was debris in the skimmer baskets; there were no beackets on the life ring; there was no shepherd's crook; the pool rules sign was not completely filled out; the facility could not produce current valid documentation of the current pool operator of record (POR); the water level was too high; a skimmer was missing a weir; the pool entry door did not self-close and latch; and, the bound and numbered log book was not maintained a minimum of three times per week by the POR.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**. The civil penalty has been paid.

20) Order Type and Number: Consent Order 16-055-RW
Order Date: August 11, 2016

<u>Individual/Entity:</u>	VW SPE I, LLC
<u>Facility:</u>	Haddon Hall Apartments
<u>Location:</u>	1801 Haddon Hall Drive Charleston, SC 29414
<u>Mailing Address:</u>	Same
<u>County:</u>	Charleston
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	10-1165B
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: VW SPE I, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 27, 2016, and July 7, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the pool rules sign did not have all of the required rules; and, only one "No Lifeguard on Duty — Swim At Your Own Risk" sign was posted.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

21) <u>Order Type and Number:</u>	Consent Order 16-056-RW
<u>Order Date:</u>	August 15, 2016
<u>Individual/Entity:</u>	Mid-America Apartments, L.P.
<u>Facility:</u>	Howell Commons Apartments
<u>Location:</u>	150 Howell Circle Greenville, SC 29615
<u>Mailing Address:</u>	6584 Poplar Avenue Memphis, TN 38138
<u>County:</u>	Greenville
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	23-280-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Mid-America Apartments, L.P. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 27, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the skimmers were missing weirs; the gate did not self-close and latch; there was no drinking water fountain; the chlorine and pH levels were not within the acceptable range of water quality standards; the pool rules sign did not have all of the required rules; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not maintained on a daily

basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**.

22) Order Type and Number: Consent Order 16-057-RW
Order Date: August 15, 2016
Individual/Entity: **Berkeley County Family Young Men's Christian Association, Inc.**
Facility: Berkeley County Family YMCA
Location: 210 Rembert Dennis Boulevard
Moncks Corner, SC 29671
Mailing Address: Same
County: Berkeley
Previous Orders: 14-292-DW (\$800.00)
Permit/ID Number: 08-057-1 & 08-058-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Berkeley County Family Young Men's Christian Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and spa. On June 2, 2016, and July 6, 2016, the pool and spa were inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: depth marker tiles were missing on the pool walls; waterline tiles were faded; a handrail was not tight and secure; the plaster on the pool floor was delaminated; a skimmer was missing a weir; the drinking water fountain was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; there were no "no diving" tiles; and, there were no "No Lifeguard On Duty - Swim at Your Own Risk" signs posted.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of two thousand, forty dollars **(\$2,040.00)**.

23) Order Type and Number: Consent Order 16-058-RW
Order Date: August 16, 2016
Individual/Entity: **Saluda Valley Country Club**
Facility: Saluda Valley Country Club
Location: 598 Beaverdam Road
Williamston, SC 29697
Mailing Address: Same
County: Anderson
Previous Orders: None
Permit/ID Number: 04-100-1

Violations Cited:

S.C. Code Ann. Regs. 61-51(J)

Summary: Saluda Valley Country Club (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 14, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool furniture was not at least four feet from the edge of the pool; the gate did not self-close and latch; the foot rinse shower was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the main drain grates were not in place; and, the emergency notification device was not accessible.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**). The civil penalty has been paid.

24)	<u>Order Type and Number:</u>	Consent Order 16-059-RW
	<u>Order Date:</u>	August 16, 2016
	<u>Individual/Entity:</u>	Bridgepointe Owners Association, Inc.
	<u>Facility:</u>	Bridgepointe Condominiums
	<u>Location:</u>	100 Sunset Boulevard West Columbia, SC 29169
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Lexington
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	32-125-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Bridgepointe Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on July 7, 2016, the pool was inspected and a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the water level was too low; the gate did not self-close and latch; there was no drinking water fountain; there was no foot rinse shower; the pH level was not within the acceptable range of water quality standards; the life ring rope was deteriorated; the pool rules sign was not completely filled out; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of four hundred twenty-five dollars (**\$425.00**).

25) Order Type and Number: Consent Order 16-060-RW
Order Date: August 16, 2016
Individual/Entity: **Hunt Club Holdings, LLC**
Facility: Hunt Club Apartments
Location: 1000 Hunt Club Lane
Spartanburg, SC 29301
Mailing Address: Same
County: Spartanburg
Previous Orders: None
Permit/ID Number: 42-118-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Hunt Club Holdings, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 9, 2016, and June 22, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was no lifeline with floats; the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the current pool operator of record information was not posted to the public; there were chlorine pucks and debris in the skimmer baskets; there was no foot rinse shower; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

26) Order Type and Number: Consent Order 16-061-RW
Order Date: August 17, 2016
Individual/Entity: **SCG LH Anderson, L.P.**
Facility: Home Towne Suites
Location: 151 Civic Center Boulevard
Anderson, SC 29625
Mailing Address: 980 Hammond Drive
Atlanta, GA 30328
County: Anderson
Previous Orders: None
Permit/ID Number: 04-098-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: SCG LH Anderson, L.P. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 26, 2016, the pool was

inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was debris in the skimmer baskets; the gate did not self-close and latch; the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the pH level was not within the acceptable range of water quality standards; the life ring and life ring rope were deteriorated; the emergency notification device was not operational; the pool rules sign was faded; only one "Shallow Water – No Diving Allowed" sign was posted; and, the bound and numbered log book was not maintained on a daily basis, and was not properly bound.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**.

27)	<u>Order Type and Number:</u>	Consent Order 16-062-RW
	<u>Order Date:</u>	August 17, 2016
	<u>Individual/Entity:</u>	Fairwood Lakes Homeowners Association, Inc.
	<u>Facility:</u>	Fairwood Lakes
	<u>Location:</u>	510 Fairwood Lakes Lane Myrtle Beach, SC 29588
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Horry
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	26-H34-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Fairwood Lakes Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 29, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the emergency notification device was not operational; the facility address was not posted at the emergency notification device; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, twenty dollars **(\$1,020.00)**.

28) Order Type and Number: Consent Order 16-063-RW
Order Date: August 18, 2016
Individual/Entity: **Al Jones, Individually and d.b.a. Angel's Landing Campground**
Facility: Angel's Landing Campground
Location: 1556 Viper Road
Pineville, SC 29468
Mailing Address: Same
County: Berkeley
Previous Orders: None
Permit/ID Number: 08-1054B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Al Jones, Individually and d.b.a. Angel's Landing Campground (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 1, 2016, and July 6, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of five hundred sixty dollars (**\$560.00**). The civil penalty has been paid.

29) Order Type and Number: Consent Order 16-064-RW
Order Date: August 22, 2016
Individual/Entity: **Shree Krishna Lodging, Inc.**
Facility: Ramada Limited
Location: 1315 Garner Lane
Columbia, SC 29210
Mailing Address: Same
County: Richland
Previous Orders: None
Permit/ID Number: 40-400-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Shree Krishna Lodging, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 13, 2016, and July 13, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool walls were dirty; the pool furniture was not at least four feet from the edge of the pool; the chlorine level was not within the acceptable range of water quality standards; the life ring handles were broken; the bound and numbered log book was not maintained on a daily basis; a gate did not self-close and latch; there were items stored in the equipment room that were

not pool related; the pool equipment room piping was leaking; the flow meter was stuck; there was no life ring; and, there were chlorine sticks in the skimmer baskets.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

30) Order Type and Number: Consent Order 16-065-RW
Order Date: August 23, 2016
Individual/Entity: **Parkview Homeowners Association, Inc.**
Facility: Parkview Condos
Location: 4614 Old Spartanburg Road
Taylors, SC 29687
Mailing Address: 400 Regent Park Court, Suite 100
Greenville, SC 29607
County: Greenville
Previous Orders: None
Permit/ID Number: 23-278-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Parkview Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 26, 2016, and June 28, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; the perimeter fencing was rusted; the bathrooms did not have soap; there was debris in the skimmer baskets; there was no drinking water fountain; there was no foot rinse shower; the flow meter was not operating; the chlorine and pH levels were not within the acceptable range of water quality standards; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

31) Order Type and Number: Consent Order 16-066-RW
Order Date: August 23, 2016
Individual/Entity: **Magnolia Pelham, LLC**
Facility: Midtown Pelham Apartments
Location: 100 Pelham Road

Mailing Address: Greenville, SC 29615
531 South Main Street, Suite 207
Greenville, SC 29601
County: Greenville
Previous Orders: 15-122-RW (\$340.00)
Permit/ID Number: 23-080-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Magnolia Pelham, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 27, 2016, and July 6, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a rung; there was chemical residue around the edge of the pool; the gate did not self-close and latch; the step edge stripe was not within one inch of the edge of the step; the pH level was not within the acceptable range of water quality standards; the current pool operator of record information was not posted to the public; the bound and numbered log book was not maintained on a daily basis; and, the disinfection equipment was not operating.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**.

32) Order Type and Number: Consent Order 16-067-RW
Order Date: August 23, 2016
Individual/Entity: **Satya, LLC**
Facility: Rodeway Inn
Location: Highway 1
West Columbia, SC 29169
Mailing Address: 500 Chris Drive
West Columbia, SC 29169
County: Lexington
Previous Orders: None
Permit/ID Number: 32-028-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Satya, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 30, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a bumper; the pool walls were not clean; the deck was uneven and had sharp edges; there was debris in the skimmer baskets; the water level was too high; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the main drain grates were not visible; the life ring rope was too short; the shepherd's crook was not the approved length; the pool rules sign was not legible; only one "No Lifeguard On Duty - Swim At Your

Own Risk” sign was posted; the current pool operator of record information was not posted to the public; the bound and numbered log book was not properly bound or numbered; there were chlorine sticks in the skimmer baskets; and, the recirculation and filtration system was leaking.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**. The civil penalty has been paid.

33) Order Type and Number: Consent Order 16-068-RW
Order Date: August 25, 2016
Individual/Entity: **JHM Parkway Hotel, LLC**
Facility: Courtyard by Marriott
Location: 115 The Parkway
Greenville, SC 29615
Mailing Address: Same
County: Greenville
Previous Orders: None
Permit/ID Number: 23-576-1 and 23-577-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: JHM Parkway Hotel, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and a spa. On May 27, 2016, and July 7, 2016, the pool and spa were inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the shepherd’s crook was not the approved length; there were no “Shallow Water – No Diving Allowed” signs posted; only one “No Lifeguard On Duty – Swim At Your Own Risk” sign was posted; and, the bound and numbered log book was not maintained a minimum of three times a week by the pool operator of record.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**.

34) Order Type and Number: Consent Order 16-069-RW
Order Date: August 26, 2016
Individual/Entity: **Crossings Golf Club, Inc.**
Facility: Crossings Golf Club
Location: 3540 Shadow Creek Drive
Florence, SC 29505
Mailing Address: Same
County: Florence

Previous Orders: None
Permit/ID Number: 21-1002B and 21-1003C
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Crossings Golf Club, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and a kiddie pool. On June 2, 2016, the pool and kiddie pool were inspected and a violation was issued for failure to properly operate and maintain; and, on June 14, 2016, the pool and kiddie pool were inspected and a violation was issued for failure to properly operate and maintain and for re-opening the pool prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool walls were not clean and there was dirt and oil on the waterline tiles; the gate did not self-close and latch; the bathrooms were not clean; the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the main drain grates were not visible because the water was cloudy; the chlorine level was not within the acceptable range of water quality standards; the shepherd's crook handle was not the approved length; only one "Shallow Water – No Diving Allowed" sign was posted; there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted; the facility address was not posted at the emergency notification device; the bound and numbered log book was not maintained on a daily basis; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; contact Department staff to schedule a re-inspection prior to re-opening the pool; and, pay a civil penalty in the amount of one thousand, seven hundred dollars (**\$1,700.00**). The civil penalty has been paid.

35) Order Type and Number: Consent Order 16-070-RW
Order Date: August 26, 2016
Individual/Entity: **University Suites at Coastal Carolina, LLC**
Facility: University Suites
Location: 2241 Technology Drive
Conway, SC 29526
Mailing Address: 8 San Jose Drive, Building 3E
Newport News, VA 23606
County: Horry
Previous Orders: None
Permit/ID Number: 26-1778B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: University Suites at Coastal Carolina, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 30, 2016, the pool was inspected and a violation was issued for failure to properly

operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; there was no life ring; the pool rules sign did not have the appropriate wording; there were no "Shallow Water – No Diving Allowed" signs posted; and, the "No Lifeguard on Duty - Swim at Your Risk" signs did not have the appropriate wording.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**.

36)	<u>Order Type and Number:</u>	Consent Order 16-071-RW
	<u>Order Date:</u>	August 23, 2016
	<u>Individual/Entity:</u>	URS Management VI, LLC
	<u>Facility:</u>	Plantation Flats
	<u>Location:</u>	2181 Dunlop Street North Charleston, SC 29418
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Charleston
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	10-276-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: URS Management VI, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On July 5, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced and were deteriorated; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the life ring was deteriorated; only one "Shallow Water – No Diving Allowed" sign was posted; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; the bound and numbered log book was not maintained on a daily basis; and, there were chlorine sticks in the skimmer baskets.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars **(\$340.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

37)	<u>Order Type and Number:</u>	Consent Order 16-072-RW
	<u>Order Date:</u>	August 23, 2016
	<u>Individual/Entity:</u>	CEV Upstate, LP
	<u>Facility:</u>	Campus Evolution Villages
	<u>Location:</u>	101 Campus Suites Drive Spartanburg, SC 29303

Mailing Address: Same
County: Spartanburg
Previous Orders: None
Permit/ID Number: 42-1050B
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: CEV Upstate, LP (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, and July 11, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a depth marker tile was cracked; a ladder was not tight and secure; the pH level was not within the acceptable range of water quality standards; the life ring was not United States Coast Guard approved; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

38) Order Type and Number: Consent Order 16-073-RW
Order Date: August 26, 2016
Individual/Entity: **Tropical Resort, LLC**
Facility: Days Inn
Location: 1403 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-H81-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Tropical Resort, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, and June 23, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 29, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was no drinking water fountain; the chlorine level was not within the acceptable range of water quality standards; the bound and numbered log book was not available for review; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty

in the amount of two thousand, three hundred eighty dollars (**\$2,380.00**). The civil penalty has been paid.

39) Order Type and Number: Consent Order 16-074-RW
Order Date: August 26, 2016
Individual/Entity: **Tropical Resort, LLC**
Facility: Rodeway Inn & Suites
Location: 1401 South Ocean Boulevard
Myrtle Beach, SC 29577
Mailing Address: Same
County: Horry
Previous Orders: 13-053-DW (\$800.00);
15-068-RW (\$1,700.00)
Permit/ID Number: 26-394-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Tropical Resort, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 21, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was no drinking water fountain; the pH level was not within the acceptable range of water quality standards; the emergency notification device was not operational; the current pool operator of record information was not posted to the public and the facility could not produce current valid documentation of pool operator certification; the bound and numbered log book was not available for review on the first inspection and the log book was not maintained a minimum of three times per week by the pool operator of record on the second inspection; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three thousand, four hundred dollars (**\$3,400.00**). The civil penalty has been paid.

40) Order Type and Number: Consent Order 16-075-RW
Order Date: August 26, 2016
Individual/Entity: **Paces Brook Apartments, L.P.**
Facility: Paces Brook Apartments
Location: 113 Paces Brook Avenue
Columbia, SC 29212
Mailing Address: Same
County: Richland

Previous Orders: None
Permit/ID Number: 40-300-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Paces Brook Apartments, L.P. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 9, 2016, and July 12, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a gate did not self-close and latch; the flow meter was not operating properly; the pH level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope and was obstructed on the first inspection; the life ring rope was not the approved length on the second inspection; the pool walls were dirty; the deck was cracked; the bathrooms did not have paper towels; the drinking water fountain was not operating properly; and, the current pool operator of record information was not posted to the public.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

41) Order Type and Number: Consent Order 16-076-RW
Order Date: August 29, 2016
Individual/Entity: **Windy Shores II Homeowners' Association, Inc.**
Facility: Windy Shores II
Location: 3217 South Ocean Boulevard
North Myrtle Beach, SC 29582
Mailing Address: Same
County: Horry
Previous Orders: None
Permit/ID Number: 26-H97-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Windy Shores II Homeowners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 31, 2016, and June 27, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the chlorine and pH levels were not within the acceptable range of water quality standards; the pool rules sign was faded and was not completely filled out; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not available for review.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

42) Order Type and Number: Consent Order 16-077-RW
Order Date: August 29, 2016
Individual/Entity: **ESA P Portfolio, LLC**
Facility: Extended Stay Deluxe
Location: 1170 Kinley Road
Irmo, SC 29063
Mailing Address: 11525 North Community House Road
Charlotte, NC 28277-3610
County: Richland
Previous Orders: None
Permit/ID Number: 40-420-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: ESA P Portfolio, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 8, 2016, and July 11, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool walls were not clean; the pool furniture was less than four feet from the edge of the pool; there was debris in the skimmer baskets and the skimmers were missing the weirs; the gate did not self-close and latch; one of the lights had a loose screw sticking out; the step edge stripe was not within one inch of the edge of the step; the piping in the equipment room was leaking; the chlorine and pH levels were not within the acceptable range of water quality standards; the emergency notification device was not operating; the pool rules sign was not legible; one of the "Shallow Water – No Diving Allowed" signs had a broken zip tie; and, there were chlorine sticks in the skimmer baskets.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

43) Order Type and Number: Consent Order 16-078-RW
Order Date: August 29, 2016
Individual/Entity: **RKD, LLC**
Facility: Quality Inn
Location: 103 Redbank Road
Goose Creek, SC 29445
Mailing Address: Same
County: Berkeley
Previous Orders: None

Permit/ID Number: 08-053-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: RKD, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 8, 2016, and July 8, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a bumper; the waterline depth marker tiles were faded; a skimmer was missing a weir; there was no drinking water fountain; there was no foot rinse shower; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and, the life ring did not have a permanently attached rope.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

44) Order Type and Number: Consent Order 16-079-RW
Order Date: August 26, 2016
Individual/Entity: **Hole 19, L.L.C.**
Facility: Stoney Point Golf Community
Location: 709 Swing About
Greenwood, SC 29649
Mailing Address: Same
County: Greenwood
Previous Orders: None
Permit/ID Number: 24-1012B & 24-1013D
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Hole 19, L.L.C. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool and spa. On March 18, 2016, and May 27, 2016, the pool and spa were inspected and a violation was issued for failure to properly operate and maintain, and, on June 1, 2016, the spa was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the pool floor was not clean; there was standing water on the pool deck; there was debris in the skimmer baskets; the water level was low; the gate did not self-close and latch; the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the main drain grates were dirty; the shepherd's crook was missing a bolt; the emergency notification device was not operating; the life ring rope was too short and was not permanently attached to the life ring; the spa temperature was not being monitored; the "Shallow Water - No Diving Allowed" signs did not have the appropriate sized lettering; the bound and numbered log book was not maintained on a daily basis,

and was not available for review; and, the automatic controller was not operating.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of two thousand, seven hundred twenty dollars **(\$2,720.00)**.

45) Order Type and Number: Consent Order 16-080-RW
 Order Date: August 30, 2016
 Individual/Entity: **Palm Keys Homeowners
 Association, Inc.**
 Facility: Palm Keys
 Location: 804 12th Avenue South
 North Myrtle Beach, SC 29582
 Mailing Address: 440 Highway 90 East, Suite 1
 Little River, SC 29566
 County: Horry
 Previous Orders: None
 Permit/ID Number: 26-1388B
 Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Palm Keys Homeowners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 8, 2016, and July 7, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a bumper; the drinking water fountain was not operating properly; the cyanuric acid level was above the water quality standards acceptable limit; the shepherd's crook was missing a bolt; the emergency notification device was not operating properly; the facility address was not posted at the emergency notification device; the bound and numbered log book was not maintained on a daily basis; and, the foot rinse shower was not operating properly.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

46) Order Type and Number: Consent Order 16-081-RW
 Order Date: August 30, 2016
 Individual/Entity: **Oxford-Matthews/Rock Hill, LLC**
 Facility: Courtyard by Marriott Rock Hill
 Location: 1300 River Run Court
 Rock Hill, SC 29732
 Mailing Address: 350 West Hubbard Street, Suite 440
 Chicago, IL 60654
 County: York

Previous Orders: None
Permit/ID Number: 46-153-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Oxford-Matthews/Rock Hill, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 26, 2016, and June 21, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; the pool furniture was not at least four feet from the edge of the pool; the skimmer baskets were floating; there was no foot rinse shower; the pH level was not within the acceptable range of water quality standards; the shepherd's crook was missing a bolt; the emergency notification device was not operating properly; the facility address was not posted at the emergency notification device; the pool rules sign did not have all of the required rules; and, the log book was not properly bound.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

47) Order Type and Number: Consent Order 16-082-RW
Order Date: August 30, 2016
Individual/Entity: **SC Hotel Investments, LLC**
Facility: Country Inn and Suites
Location: 3540 Lakemont Boulevard
Fort Mill, SC 29708
Mailing Address: Same
County: York
Previous Orders: None
Permit/ID Number: 46-130-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: SC Hotel Investments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 21, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the ladders were not tight and secure; the pool walls were not clean; the deck was uneven with sharp edges; the water level was too low; the skimmers were missing weirs; there were cracks between the wall tiles and the coping; the flow meter was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; the life ring was not properly hung in its designated location; and, the pool rules sign was not completely filled out.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**).

48) Order Type and Number: Consent Order 16-083-RW
Order Date: August 30, 2016
Individual/Entity: **Candlewick Investment Properties Limited Partnership**
Facility: The Summit at Cross Creek
Location: 350 Cross Creek Road
Central, SC 29630
Mailing Address: 100 Cross Creek Court
Central, SC 29630
County: Pickens
Previous Orders: None
Permit/ID Number: 39-074-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Candlewick Investment Properties Limited Partnership (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 15, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing a rung; the bathrooms did not have toilet paper; the drinking water fountain was not operating; the life ring was not United States Coast Guard approved; the pool rules sign was not completely filled out; the facility address was not posted at the emergency notification device; only one "Shallow Water – No Diving Allowed" sign was posted; only one "No Lifeguard On Duty – Swim At Your Own Risk" sign was posted; the current pool operator of record information was not posted to the public; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**).

49) Order Type and Number: Consent Order 16-084-RW
Order Date: August 30, 2016
Individual/Entity: **South Beach Swimming Pool, Inc.**
Facility: South Beach Inn and Vacation Rentals
Location: 232 South Sea Pines Drive
Hilton Head Island, SC 29928
Mailing Address: Same
County: Beaufort
Previous Orders: None
Permit/ID Number: 07-043-1

Violations Cited:

S.C. Code Ann. Regs. 61-51(J)

Summary: South Beach Swimming Pool, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 10, 2016, and July 11, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the facility could not produce current valid documentation of pool operator certification; the lifeline floats were damaged; and, there were no "No Lifeguard On Duty - Swim At Your Own Risk" signs posted.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

50) Order Type and Number: Consent Order 16-085-RW
Order Date: August 31, 2016
Individual/Entity: **Silver and Burroughs Holdings, LLC**
Facility: Florence RV Park
Location: 1115 East Campground Road
Florence, SC 29506
Mailing Address: Same
County: Florence
Previous Orders: None
Permit/ID Number: 21-047-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Silver and Burroughs Holdings, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 16, 2016, and July 14, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was not tight and secure; a ladder was missing bumpers; the chlorine level was not within the acceptable range of water quality standards; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

51) Order Type and Number: Consent Order 16-086-RW
Order Date: August 31, 2016
Individual/Entity: **Tidewater Council of Co-Owners, Inc.**

Facility: Tidewater Villas
Location: 9000 Palmetto Drive
Isle of Palms, SC 29451
Mailing Address: Same
County: Charleston
Previous Orders: None
Permit/ID Number: 10-434-1
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Tidewater Council of Co-Owners, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 25, 2016, and July 8, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the chlorine and pH levels were not within the acceptable range of water quality standards; and, the gate did not self-close and latch.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

Drinking Water Enforcement

52) Order Type and Number: Consent Order 16-042-DW
Order Date: August 12, 2016
Individual/Entity: **City of West Columbia**
Facility: City of West Columbia
Location: 200 North 12th Street
West Columbia, SC 29169
Mailing Address: P.O. Box 4044
West Columbia, SC 29171
County: Lexington
Previous Orders: None
Permit/ID Number: 0110001
Violations Cited: S.C. Code Ann. Regs. 61-58.7, 61-58.1.B(1) & 61-58.1.K(1)

Summary: The City of West Columbia (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On March 23, 2016, the PWS was inspected and rated unsatisfactory for failure to properly operate and maintain; and, for unpermitted construction and operation of a modification to the PWS. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: only one of the four permitted MIOX generators at the Lake Murray water treatment plant was in operation and the maintenance and house-keeping where the MIOX generators were housed was

inadequate; backflow prevention records were not available for various commercial accounts; there were no written procedures for hydrants that are unable to meet minimum flow requirements; the written valve/hydrant maintenance program did not specify the frequency in which valves and hydrants were maintained; the written flushing program did not specify the frequency in which the hydrants were flushed; the chemical feed pumps and chemical feed lines were rusted at the Lake Murray water treatment plant, and several areas of the plant were in disarray; the alum day tanks at the Sunset water treatment plant were not labeled; all four distribution storage tanks showed signs of exterior wear and there were no records available for review indicating that the vents and hatches had been visually inspected annually; the Platt Springs Road elevated storage tank and the Greenhill Standpipe tank had rust on the exterior of the tanks; the clearwells at the Lake Murray water treatment plant were operated in parallel configuration and the disinfection method was switched to chloramination, which presents challenges for the City to meet the requirements of the Surface Water Treatment Rule; the Laurel Road Standpipe tank has an operational height of eighty feet, but only thirty feet of the tank is able to turn over; and, a mini-bulk liquid sodium hypochlorite 4,200 gallon tank that had not been permitted by the Department for installation and approved by the Department for operation was connected to the existing treatment system and was being used to disinfect the water.

Action: The Individual/Entity is required to: have all four storage tanks inspected, and correct the deficiencies per the report; submit a corrective action plan to address the configuration of the clearwells at the Lake Murray water treatment plant, the operational height of the Laurel Road Standpipe tank, and the remaining deficiencies cited during the inspection; obtain written approval to operate the treatment system and appurtenances installed at the Lake Murray water treatment plant; pay a civil penalty in the amount of eight thousand dollars (**\$8,000.00**); and, pay a stipulated penalty in the amount of four thousand dollars (\$4,000.00) should any requirement of the Order not be met.

53)	<u>Order Type and Number:</u>	Consent Order 16-043-DW
	<u>Order Date:</u>	August 12, 2016
	<u>Individual/Entity:</u>	City of West Columbia
	<u>Facility:</u>	City of West Columbia
	<u>Location:</u>	200 North 12th Street West Columbia, SC 29169
	<u>Mailing Address:</u>	P.O. Box 4044 West Columbia, SC 29171
	<u>County:</u>	Lexington
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	0110001
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-58.5.
	P(2)(b)	

Summary: The City of West Columbia (Individual/Entity) owns and is

responsible for the proper operation and maintenance of a public water system (PWS). On June 28, 2016, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: the PWS exceeded the maximum contaminant level (MCL) haloacetic acids five (HAA5).

Action: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation; and, pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

54) <u>Order Type and Number:</u>	Consent Order 16-044-DW
<u>Order Date:</u>	August 12, 2016
<u>Individual/Entity:</u>	Kenny Towery, Individually and d.b.a. Spartanburg Moose Lodge
<u>Facility:</u>	Spartanburg Moose Lodge
<u>Location:</u>	150 Pioneer Fish Camp Road Spartanburg, SC 29306
<u>Mailing Address:</u>	Same
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	4270206
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-58.7 & 61-58.5.F

Summary: Kenny Towery, Individually and d.b.a. Spartanburg Moose Lodge (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On November 13, 2015, and February 18, 2016, violations were issued as a result of review of monitoring records. On November 30, 2015, and May 17, 2016, the PWS was inspected and was not properly operated and maintained. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: the PWS exceeded the MCL for total coliform; the screened vent on the wellhead piping was not a commercially approved well vent; the pressure gauge on the wellhead piping was failing; the electrical wiring was not enclosed in conduit; the flow meter was inoperable; there was no valve maintenance program in place; documentation of flushing being conducted was incomplete; leak detection and repair records were incomplete; there was no record of the amount of water being used by the system; the emergency plan was not complete; the sample tap at the wellhead was inaccessible; the well house had deterioration around the roof; a procedures manual was not available; the well casing was rusted and had a large hole in it; and, the well casing was not the minimum required height of twelve inches above the concrete pad.

Action: The Individual/Entity is required to: correct the deficiencies; replace the well casing and raise it to the minimum height of twelve inches above the

concrete pad; and, pay a **suspended penalty** in the amount of eight thousand dollars (**\$8,000.00**) should any requirement of the Order not be met.

55) Order Type and Number: Consent Order 16-045-DW
Order Date: August 31, 2016
Individual/Entity: **Joint Municipal Water and Sewer Commission**
Facility: Joint Municipal Water and Sewer Commission
Location: 2546 Two Notch Road
Lexington, SC 29072
Mailing Address: P.O. Box 2555
Lexington SC 29071
County: Lexington
Previous Orders: None
Permit/ID Number: 3220003
Violations Cited: S.C. Code Ann. Regs. 61-58.5.P(2)(b)

Summary: Joint Municipal Water and Sewer Commission (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On June 21, 2016, a violation was issued as a result of review of monitoring records. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: the PWS exceeded the maximum contaminant level (MCL) for haloacetic acids five (HAA5).

Action: The Individual/Entity is required to: submit a corrective action plan to include proposed steps to address the MCL violation; and, pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

Water Pollution Enforcement

56) Order Type and Number: Consent Order 16-025-W
Order Date: August 10, 2016
Individual/Entity: **Town of Williamston**
Facility: Big Creek WWTP
Location: Gate Court off Woodmere Court
Williamston, SC 29697
Mailing Address: P.O. Box 70
Williamston, SC 29697
County: Anderson
Previous Orders: 14-007-W (\$1,400.00)

Permit/ID Number: SC0046841
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-110(d) (Supp. 2015); Water Pollution Control Permits, 3 S.C. Code Ann. Regs. 61-9.122.41 (a)(1)(2011)

Summary: The Town of Williamston (Individual/Entity) owns and is responsible for the proper operation and maintenance of a wastewater treatment plant (WWTP) located in Anderson County, South Carolina. On February 26, 2016, a Notice of Violation was issued as a result of discharge monitoring reports submitted to the Department. The Individual/Entity has violated the Pollution Control Act and the Water Pollution Control Permits Regulation as follows: failed to comply with the effluent limits of its National Pollutant Discharge Elimination System permit for fecal coliform (FC).

Action: The Individual/Entity is required to: implement a Capacity, Management, Operation and Maintenance program; submit a corrective action plan to address the deficiencies; and, pay a civil penalty in the amount of seven thousand, two hundred dollars (**\$7,200.00**).

57) Order Type and Number: Consent Order 16-026-W
Order Date: August 18, 2016
Individual/Entity: **Anthony S. Catoe d.b.a Catoe Farms, Inc.**
Facility: Hartsville Country Club
Location: 116 Golf Course Road
Hartsville, SC 29550
Mailing Address: 285 C & S Lane
Hartsville, SC 29550
County: Darlington
Previous Orders: None
Permit/ID Number: Manure Broker Permit 18,475-AG
Violations Cited: Pollution Control Act, S.C. Code Ann. § 48-1-90(A)(1) and 110(d)(Supp. 2015); Standards for the Permitting of Agricultural Animal Facilities, S.C. Code Ann. Regs. 61-43.200.20.A (2011) and R.61-43.400.60.D.1, D.2, D.3, and D.4 (2011).

Summary: Anthony S Catoe d.b.a. Catoe Farms, Inc. (Individual/Entity) owns and is responsible for the operation of Catoe Farms, Inc. and Catoe Manure Brokering, located in Chesterfield County, South Carolina. On May 18, 2016, the Department notified the Individual/Entity of deficiencies and unsatisfactory conditions regarding the land application of manure at the Hartsville Country Club in an inspection report. The Individual/Entity has violated the Pollution Control Act and the Standards for the Permitting of Agricultural Animal Facilities as follows: failed to comply with its Manure Broker permit and discharged waste (manure) into the environment including waters of the State, in a manner other in compliance with a permit issued by the Department.

Action: The Individual/Entity is required to: submit a procedure, which will be implemented to ensure Permit requirements are met; and, pay a civil penalty in the amount three thousand dollars (**\$3,000.00**).

BUREAU OF AIR QUALITY

58) Order Type and Number: Consent Order 16-028-A
Order Date: August 4, 2016
Individual/Entity: **Eastern Environmental, Inc.**
Facility: The Former Perrin-Thomas School
Location: 1010 Andrews Road
Columbia, SC 29201
Mailing Address: 223 Sloop Point Loop Road
Hampstead, NC 28443
County: Richland
Previous Orders: None
Permit/ID Number: N/A
Violations Cited: U.S. Environmental Protection Agency
("EPA") Regulations at 40 CFR 61, National Emission Standards for Hazardous
Air Pollutants, Subpart M, National Emission Standard for Asbestos, and 7
South Carolina Code Ann. Regs. 61-86.1, Standards of Performance for
Asbestos Projects

Summary: Eastern Environmental, Inc., (Individual/Entity) is a Department licensed asbestos abatement contractor that performed pre-demolition asbestos abatement work at the former Perrin-Thomas school located in Columbia, South Carolina. On October 7, 2014, October 14, 2014, and October 17, 2014, the Department conducted an investigation. The Individual/Entity violated U.S. EPA and South Carolina Standards of Performance for Asbestos Projects as follows: failed to adhere to work practice requirements for a NESHAP-sized asbestos abatement project including preparation, removal, clean-up, disposal, and air monitoring.

Action: The Individual/Entity is required to: comply with all requirements of Subpart M and Regulation 61-86.1, including but not limited to, ensuring compliance with all applicable notification, work practice, preparation, removal, clean-up, disposal, and air monitoring requirements for any asbestos project; and, pay a civil penalty in the amount of fifteen thousand dollars (**\$15,000.00**), payable in three bi-monthly payments.

59) Order Type and Number: Consent Order 16-030-A
Order Date: August 30, 2016
Individual/Entity: **Mr. Tracy S. George**
Facility: Residential Site
Location: 2115 Hwy 246 N

Mailing Address: Greenwood, SC 29649
County: Same
Previous Orders: Greenwood
Permit/ID Number: None
Violations Cited: N/A
5 S.C. Code Ann. Regs. 61-62.2,
Sections I

Summary: Mr. Tracy S. George (Individual/Entity) owns property located in Greenwood, South Carolina. On July 23, 2014, July 25, 2014, and August 12, 2014, an inspector observed evidence of open burning. The Individual/Entity violated South Carolina Air Pollution Control Regulations as follows: burned materials other than those allowed by the Regulation.

Action: The Individual/Entity is required to: cease all open burning except as in compliance with 5 S.C. Code Ann. Regs. 61-62.2, Section I and pay a civil penalty in the amount of one thousand, two hundred dollars **(\$1,200.00)**, payable in four equal payments.

BUREAU OF ENVIRONMENTAL HEALTH SERVICES

60) Order Type and Number: Consent Order 2015-206-01-002
Order Date: August 1, 2016
Individual/Entity: **Wahoo's Fish House**
Facility: Wahoo's Fish House
Location: 3993 Highway 17 Business
Murrells Inlet, SC 29576
Mailing Address: P.O. Box 3393
Murrells Inlet, SC 29576
County: Horry
Previous Orders: None
Permit Number: 22-206-06217
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Wahoo's Fish House (Individual/Entity) is a restaurant located in Murrells Inlet, South Carolina. The Department conducted inspections on May 12, 2015, and May 11, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; have one (1) representative from the Individual/Entity complete a food protection manager certification program; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

61) Order Type and Number: Consent Order 2016-206-03-016
Order Date: August 2, 2016
Individual/Entity: **Lesslie Food Shop**
Facility: Lesslie Food Shop
Location: 2700 Lesslie Highway
Rock Hill, SC 29730
Mailing Address: Same
County: York
Previous Orders: 2013-206-03-030
Permit Number: 46-206-01825
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Lesslie Food Shop (Individual/Entity) is a restaurant located in Rock Hill, South Carolina. The Department conducted inspections on March 12, 2015, March 11, 2016, and May 31, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, eight hundred dollars **(\$1,800.00)**.

62) Order Type and Number: Consent Order 2015-206-03-124
Order Date: August 2, 2016
Individual/Entity: **Hillview Restaurant**
Facility: Hillview Restaurant
Location: 2656 Ben Franklin Road
Leesville, SC 29070
Mailing Address: Same
County: Lexington
Previous Orders: None
Permit Number: 32-206-05636
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Hillview Restaurant (Individual/Entity) is a restaurant located in Leesville, South Carolina. The Department conducted inspections on October 20, 2015, December 16, 2015, and December 22, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain the premises free of insects, rodents, and other pests.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, two hundred dollars **(\$1,200.00)**.

63) Order Type and Number: Consent Order 2016-206-03-025
Order Date: August 3, 2016
Individual/Entity: **Sodexo/Ridgeview High School**
Facility: Sodexo/Ridgeview High School
Location: 4801 Hardscrabble Road
Columbia, SC 29223
Mailing Address: P.O. Box 352
Buffalo, NY 14240
County: Richland
Previous Orders: None
Permit Number: 40-206-06353
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Sodexo/Ridgeview High School (Individual/Entity) is a cafeteria located in Columbia, South Carolina. The Department conducted inspections on April 7, 2015, and February 29, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

64) Order Type and Number: Consent Order 2015-206-07-046
Order Date: August 5, 2016
Individual/Entity: **Pan Super Buffet**
Facility: Pan Super Buffet
Location: 9970 Dorchester Road, Unit C
Summerville, SC 29485
Mailing Address: Same
County: Dorchester
Previous Orders: None
Permit Number: 18-206-07403
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Pan Super Buffet (Individual/Entity) is a restaurant located in North Charleston, South Carolina. The Department conducted inspections on December 9, 2015, and March 23, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

65) Order Type and Number: Consent Order 2016-206-06-036
Order Date: August 5, 2016
Individual/Entity: **K&W Cafeteria #8**
Facility: K&W Cafeteria #8
Location: 7900 North Kings Highway
Myrtle Beach, SC 29572
Mailing Address: P.O. Box 24048
Winston-Salem, NC 27114
County: Horry
Previous Orders: None
Permit Number: 26-206-00751
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: K&W Cafeteria (Individual/Entity) is a restaurant located in Myrtle Beach, South Carolina. The Department conducted inspections on February 2, 2016, June 22, 2016, and July 1, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand two hundred dollars **(\$1,200.00)**.

66) Order Type and Number: Consent Order 2016-206-03-017
Order Date: August 5, 2016
Individual/Entity: **Jomars**
Facility: Jomars
Location: 278 Highway 9 Bypass East
Lancaster, SC 29720
Mailing Address: Same
County: Lancaster
Previous Orders: None
Permit Number: 29-206-01031
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Jomars (Individual/Entity) is a restaurant located in Lancaster, South Carolina. The Department conducted inspections on March 6, 2015, and March 3, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; and failed to ensure time/temperature control for safety foods were cooled according to the Regulation.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

67) Order Type and Number: Consent Order 2016-206-01-004
Order Date: August 5, 2016
Individual/Entity: **McDonald's #24608**
Facility: McDonald's #24608
Location: 1475 Pearman Dairy Road, Suite G
Anderson, SC 29625
Mailing Address: 2505 Brenda Drive
Anderson, SC 29625
County: Anderson
Previous Orders: None
Permit Number: 04-206-02885
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: McDonald's #24608 (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on January 25, 2016, and February 4, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure food is marked to identify when it shall be discarded when time as a public health control is being utilized.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

68) Order Type and Number: Consent Order 2016-206-01-015
Order Date: August 5, 2016
Individual/Entity: **McDonald's**
Facility: McDonald's
Location: 1651 East Greenville Street
Anderson, SC 29621
Mailing Address: 2505 Brenda Drive
Anderson, SC 29625
County: Anderson
Previous Orders: None
Permit Number: 04-206-04262
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: McDonald's (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on March 17, 2016, and May 17, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure food is marked to identify when it shall be discarded when time as a public health control is being utilized

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

69) Order Type and Number: Consent Order 2015-206-02-021
Order Date: August 10, 2016
Individual/Entity: **Peach Blossom Restaurant**
Facility: Peach Blossom Restaurant
Location: 910 Hospitality Drive
Spartanburg, SC 29303
Mailing Address: Same
County: Spartanburg
Previous Orders: None
Permit Number: 42-206-01539
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Peach Blossom Restaurant (Individual/Entity) is a restaurant located in Spartanburg, South Carolina. The Department conducted inspections on October 8, 2015, and October 19, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

70) Order Type and Number: Consent Order 2016-206-06-031
Order Date: August 11, 2016
Individual/Entity: **Dagwoods Deli and Sports Bar**
Facility: Dagwoods Deli and Sports Bar
Location: 600 North Kings Highway
Surfside Beach, SC 29575
Mailing Address: Same
County: Horry
Previous Orders: None
Permit Number: 26-206-10224
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Dagwoods Deli and Sports Bar (Individual/Entity) is a restaurant located in Surfside Beach, South Carolina. The Department conducted inspections on October 2, 2015, and March 4, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

71) Order Type and Number: Consent Order 2016-206-06-020
Order Date: August 11, 2016
Individual/Entity: **McDonald's #07055**
Facility: McDonald's #07055
Location: 1734 Highway 17 North
Surfside Beach, SC 29575
Mailing Address: P.O. Box 245
Myrtle Beach, SC 29578
County: Horry
Previous Orders: None
Permit Number: 26-206-00977
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: McDonald's #07055 (Individual/Entity) is a restaurant located in Surfside Beach, South Carolina. The Department conducted inspections on September 23, 2015, and February 9, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure employees wash hands prior to donning gloves for food preparation; and, failed to ensure food is marked to identify when it shall be discarded when time as a public health control is being utilized.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

72) Order Type and Number: Consent Order 2015-206-03-129
Order Date: August 15, 2016
Individual/Entity: **San Jose**
Facility: San Jose
Location: 4710 Augusta Road
Lexington, SC 29073
Mailing Address: Same
County: Lexington
Previous Orders: None
Permit Number: 32-206-05374
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: San Jose (Individual/Entity) is a restaurant located in Lexington, South Carolina. The Department conducted inspections on November 26, 2014, and November 25, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

73) Order Type and Number: Consent Order 2016-206-06-014
Order Date: August 17, 2016
Individual/Entity: **El Cerro Grande**
Facility: El Cerro Grande
Location: 3779 Renee Drive
Myrtle Beach, SC 29579
Mailing Address: Same
County: Horry
Previous Orders: None
Permit Number: 26-206-08669
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: El Cerro Grande (Individual/Entity) is a restaurant located in Myrtle Beach, South Carolina. The Department conducted inspections on September 1, 2015, and January 7, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure employees wash hands prior to donning gloves for food preparation; and, failed to store foods in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

74) Order Type and Number: Consent Order 2016-206-03-013
Order Date: August 17, 2016
Individual/Entity: **Nick's Gyros**
Facility: Nick's Gyros
Location: 1931 Broad River Road
Columbia, SC 29210
Mailing Address: Same
County: Richland
Previous Orders: 2015-206-03-018 (\$750.00)
Permit Number: 40-206-06940
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Nick's Gyros (Individual/Entity) is a restaurant located in Columbia, South Carolina. The Department conducted inspections on October 14, 2015, March 4, 2016, and March 10, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to ensure foods were properly cooled; and, failed to ensure employees washed hands after points of possible contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs.

61-25; and, pay a civil penalty in the amount of one thousand eight hundred dollars **(\$1,800.00)**.

75) Order Type and Number: Consent Order 2015-206-06-095
Order Date: August 18, 2016
Individual/Entity: **Omega Pancake**
Facility: Omega Pancake
Location: 1617 Highway 17 North
Surfside Beach, SC 29575
Mailing Address: Same
County: Horry
Previous Orders: None
Permit Number: 26-206-00275
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Omega Pancake (Individual/Entity) is a restaurant located in Surfside Beach, South Carolina. The Department conducted inspections on February 2, 2016, and July 19, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper sanitizer concentration during manual sanitization of equipment and utensils.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of seven hundred dollars **(\$700.00)**.

76) Order Type and Number: Consent Order 2016-206-06-041
Order Date: August 18, 2016
Individual/Entity: **NY Pizza Kitchen**
Facility: NY Pizza Kitchen
Location: 9180 Ocean Highway
Pawleys Island, SC 29585
Mailing Address: P.O. Box 3034
Myrtle Beach, SC 29578
County: Georgetown
Previous Orders: None
Permit Number: 22-206-06287
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: NY Pizza Kitchen (Individual/Entity) is a restaurant located on Pawleys Island, South Carolina. The Department conducted inspections on December 4, 2015, and December 17, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure written procedures for time as a public health control measure were prepared in advance, maintained in the food establishment and made available to the Department.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

77) Order Type and Number: Consent Order 2016-206-01-017
Order Date: August 18, 2016
Individual/Entity: **Sue's Wings & Things**
Facility: Sue's Wings & Things
Location: 4711 N. Highway 81
Anderson, SC 29621
Mailing Address: 1130 Wood Duck Road
Anderson, SC 29621
County: Anderson
Previous Orders: None
Permit Number: 04-206-03644
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Sue's Wings & Things (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on June 8, 2015, and December 11, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

78) Order Type and Number: Consent Order 2016-206-03-028
Order Date: August 23, 2016
Individual/Entity: **KJ's IGA Market Deli/Bakery**
Facility: KJ's IGA Market Deli/Bakery
Location: 217 West Columbia Avenue
Batesburg, SC 29006
Mailing Address: P.O. Box 1629
Lake City, SC 29560
County: Lexington
Previous Orders: None
Permit Number: 32-206-06279
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: KJ's IGA Market Deli/Bakery (Individual/Entity) is a deli and bakery located in Batesburg, South Carolina. The Department conducted inspections on April 16, 2015, and March 30, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding

temperatures of time/temperature control for safety foods and failed to ensure foods were stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

79) Order Type and Number: Consent Order 2016-206-03-011
Order Date: August 23, 2016
Individual/Entity: **Kwik Way**
Facility: Kwik Way
Location: 6230 Bush River Road
Columbia, SC 29212
Mailing Address: P.O. Box 478
Ballentine, SC 29002
County: Lexington
Previous Orders: None
Permit Number: 32-206-02917
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Kwik Way (Individual/Entity) is a restaurant located in Columbia, South Carolina. The Department conducted inspections on March 3, 2015, and February 23, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure foods are stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; have one (1) representative from the Individual/Entity complete a food protection manager certification program; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

80) Order Type and Number: Consent Order 2016-206-04-007
Order Date: August 23, 2016
Individual/Entity: **Jumpin J's**
Facility: Jumpin J's
Location: 898 South Irby Street
Florence, SC 29501
Mailing Address: Same
County: Florence
Previous Orders: None
Permit Number: 21-206-00208
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Jumpin J's (Individual/Entity) is a restaurant located in Florence, South Carolina. The Department conducted inspections on October 29, 2014, November 19, 2015, and December 3, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to ensure foods were stored in a manner to prevent cross contamination; failed to ensure no bare hand contact with ready-to-eat foods; and, failed to store poisonous or toxic materials away from food and single service items.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand two hundred dollars **(\$1,200.00)**.

81)	<u>Order Type and Number:</u>	Consent Order 2016-206-06-030
	<u>Order Date:</u>	August 23, 2016
	<u>Individual/Entity:</u>	Piggly Wiggly #183 Deli/Bakery
	<u>Facility:</u>	Piggly Wiggly #183 Deli/Bakery
	<u>Location:</u>	122 Highway 17 North Surfside Beach, SC 29575
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Horry
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	26-206-12749
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Piggly Wiggly #183 Deli/Bakery (Individual/Entity) is a deli and bakery located in Surfside Beach, South Carolina. The Department conducted inspections on September 17, 2015, and February 16, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

82)	<u>Order Type and Number:</u>	Consent Order 2016-206-06-044
	<u>Order Date:</u>	August 23, 2016
	<u>Individual/Entity:</u>	Thai Season
	<u>Facility:</u>	Thai Season
	<u>Location:</u>	1004 Highway 17 South North Myrtle Beach, SC 29582
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Horry
	<u>Previous Orders:</u>	None

Permit Number: 26-206-10579
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Thai Season (Individual/Entity) is a restaurant located in North Myrtle Beach, South Carolina. The Department conducted inspections on August 26, 2015, and March 2, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure food is marked or otherwise identified to indicate the time that is four (4) hours past the point in time when the food is removed from temperature control.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

83) Order Type and Number: Consent Order 2016-206-02-011
Order Date: August 24, 2016
Individual/Entity: **Super Taco**
Facility: Super Taco
Location: 391 Old Greenville Highway
Clemson, SC 29631
Mailing Address: Same
County: Pickens
Previous Orders: None
Permit Number: 23-206-10591
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Super Taco (Individual/Entity) is a restaurant located in Clemson, South Carolina. The Department conducted inspections on October 7, 2015, and February 8, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure foods were stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

84) Order Type and Number: Consent Order 2016-206-03-031
Order Date: August 26, 2016
Individual/Entity: **Odaly's Bakery**
Facility: Odaly's Bakery
Location: 103 North 12th Street
West Columbia, SC 29169
Mailing Address: Same
County: Lexington
Previous Orders: None

Permit Number: 32-206-04488
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Odaly's Bakery (Individual/Entity) is a bakery located in West Columbia, South Carolina. The Department conducted inspections on March 13, 2015, and February 23, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; and failed to ensure employees washed hands after points of possible contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

85) Order Type and Number: Consent Order 2016-206-01-005
Order Date: August 26, 2016
Individual/Entity: **Garden Grille**
Facility: Garden Grille
Location: 115 Destination Blvd.
Anderson, SC 29621
Mailing Address: Same
County: Anderson
Previous Orders: None
Permit Number: 04-206-03342
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Garden Grille (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on February 4, 2016, and April 6, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure foods are stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

86) Order Type and Number: Consent Order 2016-206-03-018
Order Date: August 26, 2016
Individual/Entity: **Buford Sports Café**
Facility: Buford Sports Cafe
Location: 1423 North Rocky River Road
Lancaster, SC 29720
Mailing Address: 4393 Shiloh Unity Road
Lancaster, SC 29720
County: Lancaster

Previous Orders: None
Permit Number: 29-206-00776
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Buford Sports Cafe (Individual/Entity) is a restaurant located in Lancaster, South Carolina. The Department conducted inspections on February 24, 2016, and March 4, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

87) Order Type and Number: Consent Order 2016-206-03-010
Order Date: August 26, 2016
Individual/Entity: **2 Gingers**
Facility: 2 Gingers
Location: 245 Bush River Road
Columbia, SC 29210
Mailing Address: Same
County: Richland
Previous Orders: None
Permit Number: 40-206-07493
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: 2 Gingers (Individual/Entity) is a restaurant located in Columbia, South Carolina. The Department conducted inspections on February 1, 2016, and March 2, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

88) Order Type and Number: Consent Order 2016-206-03-036
Order Date: August 26, 2016
Individual/Entity: **Get N Go Chapin**
Facility: Get N Go Chapin
Location: 2101 Wessinger Road
Chapin, SC 29036
Mailing Address: Same
County: Richland
Previous Orders: None

Permit Number: 40-206-07327
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Get N Go Chapin (Individual/Entity) is a convenience store located in Chapin, South Carolina. The Department conducted inspections on April 29, 2015, and March 31, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

89) Order Type and Number: Consent Order 2015-206-06-111
Order Date: August 29, 2016
Individual/Entity: **Casa Villa-Little River**
Facility: Casa Villa- Little River
Location: 1529 Highway 17 North
Little River, SC 29586
Mailing Address: Same
County: Horry
Previous Orders: None
Permit Number: 26-206-08682
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Casa Villa- Little River (Individual/Entity) is a restaurant located in Little River, South Carolina. The Department conducted inspections on December 10, 2014, and November 2, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

90) Order Type and Number: Consent Order 2015-206-06-111
Order Date: August 30, 2016
Individual/Entity: **River City Café**
Facility: River City Café
Location: 203 73rd Avenue North
Myrtle Beach, SC 29577
Mailing Address: 2504 S. Kings Highway
Myrtle Beach, SC 29577
County: Horry
Previous Orders: None

Permit Number: 26-206-07455
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: River City Cafe (Individual/Entity) is a restaurant located in Myrtle Beach, South Carolina. The Department conducted inspections on March 1, 2016, and March 8, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

91) Order Type and Number: Consent Order 2016-206-06-038
Order Date: August 30, 2016
Individual/Entity: **Applebee's #710**
Facility: Applebee's #710
Location: 3256 Highway 17 South
Murrells Inlet, SC 29576
Mailing Address: 170 Wind Chime Court
Raleigh, NC 27615
County: Horry
Previous Orders: 2014-206-063-050
Permit Number: 26-206-11799
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Applebee's #710 (Individual/Entity) is a restaurant located in Murrells Inlet, South Carolina. The Department conducted inspections on March 24, 2016, and July 5, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, two hundred dollars (**\$1,200.00**).

92) Order Type and Number: Consent Order 2016-206-04-016
Order Date: August 30, 2016
Individual/Entity: **Mr. B's Restaurant**
Facility: Mr. B's Restaurant
Location: 964 West Lydia Highway
Lydia, SC 29079
Mailing Address: P.O. Box 42
Lydia, SC 29079

County: Darlington
Previous Orders: None
Permit Number: 16-206-01225
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Mr. B's Restaurant (Individual/Entity) is a restaurant located in Lydia, South Carolina. The Department conducted inspections on July 6, 2015, and March 2, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure foods were stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

93) Order Type and Number: Consent Order 2016-206-06-039
Order Date: August 30, 2016
Individual/Entity: **Prosser's BBQ**
Facility: Prosser's BBQ
Location: 3750 Highway 17 Business
Murrells Inlet, SC 29576
Mailing Address: P.O. Box 801
Murrells Inlet, SC 29576
County: Georgetown
Previous Orders: None
Permit Number: 22-206-05675
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Prosser's BBQ (Individual/Entity) is a restaurant located in Murrells Inlet, South Carolina. The Department conducted inspections on June 19, 2015, and March 7, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

94) Order Type and Number: Consent Order 2016-206-07-023
Order Date: August 30, 2016
Individual/Entity: **Bluerose Café**
Facility: Bluerose Café
Location: 652 Saint Andrews Boulevard
Charleston, SC 29407
Mailing Address: Same

County: Charleston
Previous Orders: None
Permit Number: 10-206-04939
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Bluerose Cafe (Individual/Entity) is a restaurant located in Charleston, South Carolina. The Department conducted inspections on March 22, 2016, and March 31, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure no bare hand contact with ready-to-eat foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

95) Order Type and Number: Consent Order 2016-206-07-015
Order Date: August 30, 2016
Individual/Entity: **Ms. Rose**
Facility: Ms. Rose
Location: 1090 Sam Rittenberg Boulevard
Charleston, SC 29466
Mailing Address: 4838 Jenkins Avenue
North Charleston, SC 29405
County: Charleston
Permit Number: 10-206-08523
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Ms. Rose (Individual/Entity) is a restaurant located in Charleston, South Carolina. The Department conducted inspections on March 29, 2016, and April 5, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

96) Order Type and Number: Consent Order 2016-206-03-015
Order Date: August 30, 2016
Individual/Entity: **Mully's**
Facility: Mully's
Location: 695 Lancaster Bypass East
Lancaster, SC 29720
Mailing Address: 554 West Shiloh Unity Road
Lancaster, SC 29720

County: Lancaster
Previous Orders: None
Permit Number: 29-206-01227
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Mully's (Individual/Entity) is a restaurant located in Lancaster, South Carolina. The Department conducted inspections on March 12, 2015, and March 9, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure foods were stored in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

97) Order Type and Number: Consent Order 2016-206-01-023
Order Date: August 30, 2016
Individual/Entity: **Little Caesar's Pizza**
Facility: Little Caesar's Pizza
Location: 2902-C North Main Street
Anderson, SC 29621
Mailing Address: 304 Sycamore Drive
Mauldin, SC 29662
County: Anderson
Previous Orders: None
Permit Number: 04-206-03778
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Little Caesar's (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on April 7, 2016, and April 15, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure food is marked or otherwise identified to indicate the time that is four (4) hours past the point in time when the food is removed from temperature control.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

98) Order Type and Number: Consent Order 2016-206-01-014
Order Date: August 31, 2016
Individual/Entity: **Clock of Anderson**
Facility: Clock of Anderson
Location: 1005 Pearman Dairy Road
Anderson, SC 29625

Mailing Address: 105 Centerville Road
Anderson, SC 29625
County: Anderson
Previous Orders: None
Permit Number: 04-206-03635
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Clock of Anderson (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on November 30, 2015, and February 22, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

99) Order Type and Number: Consent Order 2016-206-06-021
Order Date: August 31, 2016
Individual/Entity: **JE Asian Fusion**
Facility: JE Asian Fusion
Location: 2126 Highway 9 East
Longs, SC 29568
Mailing Address: 4473 LRI Lane, Apt. 1104
Little River, SC 29566
County: Horry
Previous Orders: None
Permit Number: 26-206-12398
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: JE Asian Fusion (Individual/Entity) is a restaurant located in Longs, South Carolina. The Department conducted inspections on October 23, 2015, and January 22, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; have one (1) representative from the Individual/Entity complete a food protection manager certification program; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

100) Order Type and Number: Consent Order 2016-206-04-0159
Order Date: August 31, 2016
Individual/Entity: **Tiger Mart #2**

<u>Facility:</u>	Tiger Mart #2
<u>Location:</u>	501 West Liberty Street Marion, SC 29571
<u>Mailing Address:</u>	P.O. Box 3084 Mullins, SC 29574
<u>County:</u>	Marion
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	33-206-00449
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Tiger Mart #2 (Individual/Entity) is a convenience store located in Marion, South Carolina. The Department conducted inspections on February 19, 2016, and February 29, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to store foods in a manner to prevent cross contamination and failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

* Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.