

Flu Watch

MMWR Week 39: September 26 to October 2, 2021

All data are provisional and subject to change as more reports are received.

Influenza Activity



Due to the low number of reported influenza cases, the influenza activity level is not listed in this report.

Influenza Indicators

Influenza Indicator	Change from Previous Week
Lab-confirmed tests	Increased
ILI Percent	No change
Hospitalizations	No change

Regional Influenza Activity



N/A



N/A




N/A



N/A

Virologic Surveillance

This week **15** lab-confirmed tests were reported. In the current flu season, there have been **310** lab-confirmed tests reported.



Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **1.1%**, which is **below** South Carolina's baseline (**3.6%**). The ILI activity level overall was **minimal**.

296 11-Sep 18-Sep 25-Sep 2-Oct Week Ending

ctiousDiseases/Flu/FluData/

Influenza-Associated Hospitalizations

This week **5** influenza-associated hospitalizations were reported by **30** hospitals, however **2** hospitalizations occurred during previous weeks. The cumulative hospitalization rate is **3.9 per 100,000**. In the current flu season, there have been **196** influenza-associated hospitalizations.

Influenza-Associated Deaths

This week **0** influenza-associated deaths were reported. The cumulative mortality rate is **0.4 per 100,000**. In the current flu season, there have been **20** influenza-associated deaths.

For a description of South Carolina's influenza surveillance components and definitions go to: http://www.scdhec.gov/Health/DiseasesandConditions/Infe


For national surveillance, please visit: https://www.cdc.gov/flu/weekly/

Virologic Surveillance


Lab-Confirmed Influenza Cases by Influenza Type to Date*							
	No. of Cases (%)						
Influenza Type	This Week	2020-21	2019-20	2018-19	5 season average		
Overall	15	310	6727	4810	3786		
Influenza A	11(73.3)	116(37.4)	4730(70.3)	4630 (96.3)	2905(76.7)		
A(H3)			40(0.8)	606(13.1)	337(11.6)		
A(H1N1)		7(6.0)	1121(23.7)	465(10.0)	493(17.0)		
A(NS)**	11(100.0)	109(94.0)	3569(75.5)	3559(76.9)	2075(71.4)		
Influenza B	4(26.7)	189(61.0)	1988(29.6)	166(3.4)	881(23.3)		
B (Victoria)			249(12.5)	8(4.8)	52(5.9)		
B(Yamagata)			6(0.3)		12(1.4)		
B (LND) ⁺	4(100.0)	189(100.0)	1733(87.2)	158(95.2)	817(92.7)		
Influenza Virus Coinfection§	0(0.0)	5(1.6)	9(0.1)	14(0.3)	N/A		
Influenza/SARS- CoV-2 Coinfection [£]	0(0.0)	15(5.4)	0(0.0)	N/A	N/A		

^{*}Data presented from previous influenza seasons represents the data from that season through the same week as the current season. Nationally, the influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2020-21 influenza season began on September 27, 2020 and will end on October 3, 2021.

Laboratory-Confirmed Influenza Cases, by Virus Type



Laboratory-Confirmed Influenza Cases, 2018-19 Season to Present



^{**}NS – not subtyped +LND – lineage not determined


⁵Cases with more than one influenza A subtype in the same sample or with influenza A and B viral types in the same sample simultaneously.

Influenza-Like Illness (ILI) Surveillance


This week, the ILI activity level was minimal and 1.1% of patient visits to SC ILINet providers were attributed to an influenza-like illness. This is **below** the state baseline of **3.6%**.

Reports were received from providers in 16 counties, representing all DHEC Public Health regions.

ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.



Percentage of Influenza-like Illness (ILI) Visits Reported by **Sentinel Providers for Past and Current Seasons**



MMWR Week

State ILI Activity Level by MMWR Week, 2016-17 Influenza Season to Present




Influenza-Associated Hospitalizations And Deaths

Influenza-Associated Hospitalizations by Age Group*						
	No. of Hospitalizations (Rate)					
Influenza Season	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	3(0.1)				1(0.1)	2(0.2)
2020-21	196(3.9)	2(0.7)		58(2.8)	41(4.1)	95(10.9)
2019-20	3021(60.1)	160(54.5)	147(18.1)	631(30.7)	856(85.8)	1227(141.9)
2018-19	2782 (56.1)	131(44.9)	128(15.9)	438(21.5)	681(68.7)	1404(169.3)
5 season average	2955(60.3)	151(52.0)	136(17.0)	492(24.2)	730(74.4)	1446(181.0)
Influenza Associated Deaths by Age Group*						

innuenza-Associated Deaths by Age Group						
	No. of Deaths (Rate)					
Influenza Season	Overall	Ages 0-4	Ages 5-17	Ages 18-49	Ages 50-64	Ages 65+
This Week	0(0.0)					
2020-21	20(0.4)			3(0.1)	2(0.2)	15(1.7)
2019-20	141(2.8)		1(0.1)	24(1.2)	36(3.6)	80(9.1)
2018-19	105(2.1)	2(0.7)	1(0.1)	8(0.4)	26(2.6)	68(7.8)
5 season average	135(2.7)	1(0.4)	1(0.1)	15(0.7)	29(2.9)	89(10.3)

Influenza-Associated Deaths by Region Upstate (6) Midlands (1)

Cumulative Hospitalization Rate for Past and Current Seasons



Reported Influenza-Associated Hospitalizations, 2018-19 Season to present

